



Measuring Agility

presented to

16th ICCRTS

Quebec City

June 2011

Dr. David S. Alberts
Director, Research
OASD/NII & DoD CIO

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE JUN 2011		2. REPORT TYPE		3. DATES COVERED 00-00-2011 to 00-00-2011	
4. TITLE AND SUBTITLE Measuring Agility				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Office of the Assistant Secretary of Defense (Network and Info Integration), OASD(NII)/DoD CIO ,1233 South Clark Street,Arlington,VA,22202				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES Presented at the 16th International Command and Control Research and Technology Symposium (ICCRTS 2011), Qu?c City, Qu?c, Canada, June 21-23, 2011.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 40	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Previously

- 21st Century mission challenges are Complex Endeavors with a complex mission, a complex environment, and a complex self
- There is no “one size fits all solution” to accomplishing the functions that our community associates with Command and Control; different approaches are appropriate for different situations
- The Command and Control (management, governance) of an entity is different from that of efforts to focus a Collective (complex self) and converge on a set of shared objectives
- In Complex Endeavors, the relationship between the two is critical
- Agility is not just a desirable capability, it is an Imperative
- More network-enabled approaches are more Agile

Agenda

- What do you mean by Agility?
- How do you apply the concept of Agility to C2/M/G/F&C?
- How can we visualize and measure Agility?
- Does the evidence support the following assertions?
 - Different approaches work best in different situations
 - More networked-enabled Approaches are more Agile

Agenda

- What do you mean by Agility?
- How do you apply the concept of Agility to C2/M/G/F&C?
- How can we visualize and measure Agility?
- Does the evidence support the following assertions?
 - Different approaches work best in different situations
 - More networked-enabled Approaches are more Agile
- Is there a relationship between Cybersecurity and Agility?

Acknowledgements


- SAS-085 Group Members
- ELICIT Team

What is Agility?

Agility is the capability
to successfully effect, cope with and/or exploit
changes in circumstances

What is Agility?

- relevant set = Endeavor Space




- The concept of Agility does not apply to a stable situation
- Changes may be external to self (e.g. regime change, permissive to hostile) or changes to self (e.g. a new coalition partner, loss of capability)

What is Agility?

Agility is the capability
to **successfully** effect, cope with and/or exploit
changes in circumstances

within acceptable bounds of performance
(e.g. effectiveness, efficiency, risk)

What is Agility?



create an opportunity by
changing an aspect of
circumstances you can
influence

anticipate or respond to an
event that would otherwise
have adverse consequences

take advantage of an
opportunity to improve
effectiveness, efficiency
reduce risk

Manifest v. Potential Agility

- As defined, the Agility (or a lack of) can only be directly observed if, and when, a change of significance takes place.
- Some events that are possible, even probable, may not take place during a particular endeavor.
- It is important that entities do not confine their assessments of their Agility to what has actually occurred.
- There are two ways to assess an Entity's Potential Agility
 - Test predicted Agility using experiments and exploratory analysis
 - Develop a Model of Potential Agility based on indicants

Agenda

- What do you mean by Agility?
- How does one apply the concept of Agility to C2/M/G/F&C?
- How can we visualize and measure Agility?
- Does the evidence support the following assertions?
 - Different approaches work best in different situations
 - More Networked Enabled Approaches are more Agile
- Is there a relationship between Cybersecurity and Agility?

C2/M/G/F&C Agility


- There are many ways to accomplish the functions our community associates with Command and Control; the most appropriate approach will be a function of the nature of the endeavor and the prevailing circumstances.
- The set of relevant missions and circumstances forms an Endeavor Space; the set of possible approaches forms an Approach Space.
- The Agility of a given Approach is related to the area of Endeavor Space where the Approach can be successful.
- C2/M/G/F&C Agility is the ability to move around in the Approach Space in response to changing missions and circumstances
- Agile systems and processes are required

Agenda

- What do you mean by Agility?
- How does one apply the concept of Agility to C2/M/G/F&C?
- How can we visualize and measure Agility?
- Does the evidence support the following assertions?
 - Different approaches work best in different situations
 - More Networked Enabled Approaches are more Agile
- Is there a relationship between Cybersecurity and Agility?


Approach Agility Map

An Agility Map is a projection of performance onto
Endeavor Space



Endeavor Space is a multi-dimensional space consisting of regions that correspond to different endeavor characteristics and conditions


Approach Appropriateness



*This is a most appropriate Approach for this particular set of circumstances**

C2/M/G/F&C Agility


When circumstances change, a different Approach may be more appropriate



C2/M/G/F&C Agility involves 1) recognizing the significance of a change in circumstances, 2) understanding the most appropriate Approach for the circumstance and 3) being able to transition to this approach.


Agility Map

Agility is a function of the Approaches that an Entity/Collective can employ



Comparative Agility Map

A Comparative Agility Map shows the most efficient Approach for each region of Endeavor Space



Metrics

- Endeavor Spaces can have a large number of dimensions, making it difficult to visualize and compare Agility Maps.
- Many desire a simple metric. A simple metric may be useful, if it is not misleading.
- Two candidates for a simple Agility metric:
 - % Endeavor Space Covered – the percentage of Endeavor Space where a particular approach or an Entity employing multiple approaches can successfully operate
 - Benchmarked Agility – involves a comparison between projected and expected performance

Agenda

- What do you mean by Agility?
- How does one apply the concept of Agility to C2?
- How can we visualize and measure Agility?
- Does the evidence support the following assertions?
 - Different approaches work best in different situations
 - More networked-enabled Approaches are more agile
- Is there a relationship between Cybersecurity and Agility?

Methodology

- Step 1: Define the Endeavor Space and the Approach Options to be considered
- Step 2: Conduct a series of experiments (simulation runs) for each Approach option under each mission-circumstance
- Step 3: Determine values for measures of effectiveness, timeliness and efficiency
- Step 4: Create Agility Maps and calculate values for Agility metrics

Endeavor Space Dimensions

- Nature of the Mission Challenge
 - 4 Mission Challenges
 - from Industrial Age to Complex Endeavor
- Mission Requirements
 - 3 levels of Shared Awareness (low, medium, high)
 - 3 levels of Timeliness (low, medium, high)
- Signal-Noise in Data
 - 3 levels (no noise, 1/2 noise, 2/3 noise)
- Cognitive Complexity
 - 3 levels (low, medium, high)
- Level of Network Damage
 - 3 levels (none, 1 link down, 2 links down)

972 combinations of mission / conditions

Approach Options

- Hierarchical
- Coordinated
- Collaborative
- Edge
- Post Only Edge
- Edge with Adaptive Information Sharing Policy

Selected Results

- Approach Agility Maps and Metrics
- C2/M/G/F&C Agility Map
- Comparative Advantage Agility Map
- Impact of Adaptive Information Sharing Policy

Hierarchical Approach Agility Map

(low cognitive complexity, no network damage)

 Satisfies Conditions

 Fails to Satisfy

Complex Endeavor Challenge

Required
Shared
Understanding

high
med
low

	no noise			normal noise			twice the noise		
high									
med									
low									

Industrial Age Challenge

Required
Shared
Understanding

high
med
low


	no noise			normal noise			twice the noise		
high									
med									
low									
	low	med	high						

Required Timeliness

Edge Approach Agility Map

(low cognitive complexity, no network damage)

■ Satisfies Conditions
□ Fails to Satisfy



Agility Metrics

as a function of Organization-Approach Option

	Benchmarked Agility Metric (relative to expectations)	Agility Map Coverage (percent Endeavor Space where Entity can operate successfully)
Hierarchy	16.6%	5.5%
Coordinated	41.6%	9.2%
Collaborative	59.7%	26.5%
Edge	56.5%	18.8%

Agility Map

(low cognitive complexity, no network damage)


Approach Kit = Hierarchical + Collaborative + Edge

 Satisfies Conditions

 Fails to Satisfy


Complex Endeavor Challenge

Required
Shared
Understanding
high
med
low



Industrial Age Challenge

Required
Shared
Understanding
high
med
low



Comparative Agility

as a function of shared understanding, timeliness and noise
cognitive complexity = low; no network damage

Industrial Age Challenge

Either the only approach that is successful or,
in the case when more than one approach
is successful, the entry is the most efficient one

no noise

high	E	E	E
med	E	E	C
low	E	E	H
Required Shared Understanding	low	med	high
	Required Speed		

high	E	E	-
med	E	C	-
low	E	C	H
	low	med	high
	Required Speed		

twice the noise

high	-	-	-
med	C	C	-
low	C	C	-
	low	med	high
	Required Speed		

E	Edge
C	Collaborative
C	Coordinated
H	Hierarchy
-	None

Selected Results

- Approach Agility Maps and Metrics
- C2/M/G/F&C Agility Map
- Comparative Advantage Agility Map
- Impact of Adaptive Information Sharing Policy

Information Sharing Policy

- The default information sharing policy for all Approach options involves both direct sharing (individual to individual) and web site posting / pulling
- Experiments were conducted with other information sharing policies including “share only” and “post only.” These policies remained in effect throughout the runs
- An adaptive information sharing policy was also developed to allow individuals to adapt their behaviors to changed circumstances (e.g. the loss of a web site)

Impact of Post Only Information Sharing Policy on Edge Approach Agility

	Benchmarked Agility Metric (relative to expectations)	Agility Map Coverage (percent Endeavor Space where Entity can operate successfully)
Hierarchy	15.8%	5.5%
Coordinated	41.0%	9.2%
Collaborative	59.3%	26.5%
Edge	56.1%	18.8%
Post Only Edge	77.1%	51.5%


Impact of *Adaptive* Information Sharing Policy on Edge Approach Agility

- An Edge Approach is well suited to situations, but does not perform well work load exceeds a certain threshold (e.g. noise conditions are high)
- A Post Only Edge out performs the Edge when noise conditions are high but is vulnerable to network damage
- A Edge that can adopt its information sharing behaviors to suit the conditions combines the best of both approaches

Edge Approach Agility Map

Industrial Age Challenge


Under Varying Noise and Sustained Network Damage



Post Only Edge Approach Agility Map

Industrial Age Challenge


Under Varying Noise and Sustained Network Damage




Edge Approach with an Adaptive Policy

Industrial Age Challenge

Under Varying Noise and Sustained Network Damage



Impact of an Adaptive Policy



Impact of Adaptive Policy

	Benchmarked Agility Metric (relative to expectations)	Agility Map Coverage (percent Endeavor Space where Entity can operate successfully)
Hierarchy	15.8%	5.5%
Coordinated	41.0%	9.2%
Collaborative	59.3%	26.5%
Edge	56.1%	18.8%
Post Only Edge	77.1%	51.5%
Adaptive Edge	78.1%	53.0%

Simple metrics can be misleading!

Findings and Conclusions

- Agility can be depicted and measured; simple metrics must be used with caution
- No Approach is best in all circumstances
- Network-enabled Approaches have the potential to be more agile
- Adaptive information sharing policies enhance Agility
- Being able to employ multiple Approaches enhances Entity or Collective Agility
- Cybersecurity and Agility are related
- Formulating the Endeavor Space appropriately is, perhaps, the most challenging aspect of Agility-related analysis

Questions ?